

**Register Now**   
[www.delonghi.com/register](http://www.delonghi.com/register)

---

## HFX65 Series



TERMOVENTILATORE CERAMICO  
CERAMIC FAN HEATER  
RADIATEUR SOUFFLANT CÉRAMIQUE  
KERAMIKHEIZER

KERAMISCHE VENTILATORKACHEL  
TERMOVENTILADOR CERÁMICO  
TERMOVENTILADOR CERÂMICO

КЕРАМИКО АЕРОӨЕРМО  
КЕРАМИЧЕСКИЙ ТЕРМОВЕНТИЛЯТОР  
КЕРАМИКАЛЫҚ ЖЕЛДЕТКІШТІ ҚЫЗДЫРУ ҚҰРАЛЫ

КЕРАМІЧНИЙ ТЕПЛОВЕНТИЛЯТОР  
TERMOVENTILÁTOR KERÁMIA ELLENÁLLÁSSAL  
TEPLOVZDUŠNÝ KERAMICKÝ VENTILÁTOR

KERAMICKÝ TEPELNÝ VENTILÁTOR  
TERMOWENTYLATOR CERAMICZNY  
KERAMIKKVFITEOVN

KERAMISK VÄRMEFLÄKT  
KERAMISK VARMLUFTBLÄSER  
KERAAMINEN TUULETINLÄMMITIN

KERAMIČKI TERMOVENTILATOR  
KERAMIČNI VENTILATORSKI KALORIFER  
КЕРАМИЧЕН ТЕРМОВЕНТИЛАТОР

TERMOVENTILATOR CERAMIC  
SERAMİK FANLI ISITICI

مدفأة حرارية

---

**De'Longhi**

**IT**

pag. 3

**EN**

pag. 8

**FR**

pag. 12

**DE**


S. 16

**NL**

pag. 20

**ES**

pág. 24

**PT**

pág. 28

**EL**

σελ. 32

**RU**

стр. 36

**KZ**

Бет. 40

**UK**

стр.45

**HU**

old. 49

**CS**

str.53

**SK**

str. 57

**PL**

str. 61

**NO**

sid. 65

**SV**

sid. 69

**DA**

sid.73

**FI**

siv. 77

**HR**

str. 81

**SL**

str. 85

**BG**

стр. 89

**RO**

pag. 93

**TR**

Sey. 97

**AR**

صفحة 2

## ELECTRICAL CONNECTION (UK ONLY)

- A) If your appliance comes fitted with a plug, it will incorporate a 13 Amp fuse. If it does not fit your socket, the plug should be cut off from the mains lead, and an appropriate plug fitted, as below.

**WARNING:** Very carefully dispose of the cut off plug after removing the fuse: do not insert in a 13 Amp socket elsewhere in the house as this could cause a shock hazard.

With alternative plugs not incorporating a fuse, the circuit must be re-fitted when changing the fuse using a 13 Amp Asta approved fuse to BS 1362. In the event of losing the fuse cover, the plug must NOT be used until a replacement fuse cover can be obtained from your nearest electrical dealer. The colour of the correct replacement fuse cover is that as marked on the base of the plug.

- B) If your appliance is not fitted with a plug, please follow the instructions provided below:

### Important

The wires in the mains lead are coloured in accordance with the following code:

Blue:	Neutral
Brown:	Live

As the colours of the wires in the mains lead of this appliance may not correspond with the coloured markings identifying the terminals in your plug, proceed as follows:

The wire which is coloured blue must be connected to the terminal which is marked with the letter N or coloured black.

The wire which is coloured brown must be connected to the terminal which is marked with the letter L or coloured red.

